

48 inch Induction Range, 6 Heating Zones and Cast Iron Griddle, Electric Self-Clean Oven Professional Series

\$ 16,199



PRO4861GFPCAT

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

This all-new induction range has 6 high-power heating zones with maximum power output of 3700W. The right-side heating zones can be bridged to create a larger cooking area. Each induction area is controlled with knobs and has a convenient read-out interface on the glass worktop. A large, removable cast-iron griddle is included.

The 4.6 cubic feet self-cleaning oven is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital temperature gauge monitors the actual temperature in the oven and has integrated controls in the bezel for the food temperature probe. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The 2.4 cubic feet auxiliary oven is perfect for smaller dishes and for warming. Both ovens include convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

This range comes with a dedicated air-frying mode for healthier cooking, to be used with the included stainless steel mesh basket.

The fingerprint resistant finish on all knobs, handles, and stainless steel oven door surfaces makes cleaning a breeze.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

Specifications

Features

Worktop

Size	48 in
Cooking zones	6
Number of induction zones	6
Worktop type	induction / standard cast iron griddle
Worktop design	stainless steel with seamless edges
Worktop controls	metal knobs
Knobs	metal coated
Backguard	yes
Cast iron griddle	yes

Cooking zones

Induction 2 bridge zones	yes
Induction front left	Ø 8 in 9/32 - 2300W up to 3700W
Induction back left	Ø 8 in 9/32 - 2300W up to 3700W
Induction center	Ø 8 in 9/32 - 2300W up to 3700W
Induction back center	Ø 10 ¼ in - 2600W up to 3700W
Induction front right	Bridge 2100W - 3700W
Induction back right	Bridge 2100W - 3700W

Oven cavity

Oven configuration	double
Oven fuel	electric
Oven convection system	dual diagonal with ring heating element
Oven type	electric convection self clean
Oven levels	7
Oven volume	4.6 ft ³
Main oven type	electric self clean
Main oven broiler type	electric
Main oven functions	air frying / bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / pizza / proofing / self-clean / warming

Auxiliary oven type	electric
Auxiliary oven broiler type	electric
Auxiliary oven functions	bake / bottom bake / broiler / proofing / upper bake
Auxiliary oven volume	2.4 ft ³
Oven controls	knobs with digital control buttons
Inner oven door	triple glass
Removable inner glass	yes
Food probe	yes
Door hinges	soft-close
Air fryer	yes
Wire-shelves	4 heavy duty with telescopic glides
Tray	1 baking tray w/grill trivet + 1 air fry basket
Grill trivet for tray	yes
Oven lights	double side mounted

Bottom

Legs	stainless steel
------	-----------------

Technical specifications

Absorbed current (A)	50 A with dedicated circuit
Electrical supply	120/240V - 60Hz - 15 100W 120/208V - 60Hz - 18 500W

Dimensions



